

Accessibility Statement for the LabSight / AllSight 7.8 web UI

This is an accessibility statement from Sassafras Software, LLC.

Measures to support accessibility

Sassafras Software, LLC takes the following measures to ensure accessibility of AllSight 7.8:

- Evaluate accessibility during new feature development.
- Respond to specific questions about accessibility and implement suggested improvements when possible.

Conformance status

The Web Content Accessibility Guidelines (WCAG) defines requirements for designers and developers to improve accessibility for people with disabilities. It defines three levels of conformance: Level A, Level AA, and Level AAA. AllSight 7.8 is partially conformant with WCAG 2.1 level AA. Partially conformant means that some parts of the content do not fully conform to the accessibility standard.

Feedback

We welcome your feedback on the accessibility of AllSight 7.8. Although we strive to be proactive with accessibility measures, the most valuable feedback comes from actual users. Please let us know if you encounter accessibility barriers on AllSight 7.8:

- Phone: 603 643 3351
- E-mail: info@sassafras.com

Limitations and alternatives

Despite our best efforts to ensure accessibility of AllSight 7.8, there may be some limitations. Below is a description of known limitations, and potential solutions. Please contact us if you observe an issue not listed below.

Known limitations for AllSight 7.8:

- 1 Dashboard pages:** Dashboards are hard or impossible to navigate by keyboard because these pages are some of the most complicated in terms of functionality. This page is typically only used by "administrators" of our tool and not the broader audience (e.g. students of a university). Therefore we have prioritized WCAG compliance on other pages that server a broader audience. We will continue to make improvements on Dashboard Pages as development resources allow. If you have specific requirements regarding this or other pages please contact us to discuss possible changes or alternatives. We are always willing to hear about specific problems encountered by our customers - direct feedback is always more valuable than any efforts we can make working against a grid.

Assessment approach

Sassafras Software, LLC assessed the accessibility of AllSight 7.8 by the following approaches:

- Self-evaluation
- External evaluation

Date

This statement was created on 10 November 2021